

Información de Centros de Cultivo en Proceso de Certificación Aquaculture Stewardship Council (ASC)

Ahoni 2026-04

Fatal incidents on wildlife as a result of the operation:

We have had no fatal wildlife incidents during the current production cycle.

Periodic monitoring for Caligus (Caligus rogercresseyi) carried out by the farm:

Week	Ovigerous Females	Adults
2024-40	0,00	0,02
2024-41	0,00	0,05
2024-42	0,00	0,00
2024-43	0,38	0,83
2024-44	0,78	0,83
2024-45	1,35	1,22
2024-46	0,42	0,77
2024-47	1,48	1,27
2024-48	0,32	0,52
2024-49	0,37	0,20
2024-50	0,27	0,12
2024-51	0,47	0,55
2024-52	0,55	0,55
2025-01	1,72	1,52
2025-02	2,22	3,62
2025-03	2,12	1,50
2025-04	4,35	3,43
2025-05	4,92	3,95
2025-06	10,88	5,67
2025-07	1,68	3,35
2025-08	2,78	2,83
2025-09	2,05	2,55
2025-10	4,63	3,20
2025-11	1,08	1,35
2025-12	1,20	1,52
2025-13	1,82	2,60

Week	Ovigerous Females	Adults
2025-14	1,95	2,65
2025-15	2,62	3,13
2025-17	2,80	3,03
2025-18	5,17	4,73
2025-19	7,17	7,10
2025-20	6,82	7,63
2025-21	2,60	3,52
2025-22	4,08	6,30
2025-23	2,68	2,02
2025-24	6,37	5,63
2025-25	2,78	3,67
2025-26	9,92	10,98
2025-27	11,68	13,08
2025-28	9,87	9,52
2025-29	7,32	6,73
2025-30	0,72	1,58
2025-31	12,13	11,97
2025-32	15,07	16,63
2025-33	2,65	30,50
2025-34	5,98	11,45
2025-35	10,35	19,45
2025-36	11,55	17,33
2025-37	7,22	9,25
2025-38	16,02	18,13
2025-39	10,53	12,68
2025-40	10,13	11,35

Calculation of unexplained losses estimated for the farm during the finished production cycle

Explicables: 2331

Perdidas Inexplicables= N° Inicial- N° de Cosecha- mortalidad

List of transgenic vegetable raw materials used in more than 1% in fish feed used in Ahoni:

Raw material	Inclusion	Source	GMO
Soy flour	0 - 5 %	Argentina	YES
Soy Protein Concentrate	0 - 20%	Brasil	YES
Canola oil	10 - 25%	Chile - Canadá	YES
Oleinmix	0 - 8 %	Argentina	YES
Acidified Oil	0 - 10%	Chile	YES
Corn Gluten	0 - 15%	USA	YES

Pharmaceutical Products used in the current production cycle:

Se realizaron tratamiento(s) parasitario:

Se realizó 2.58 tratamiento(s) de B. Enamectina

Se realizó 1.05 tratamiento(s) de Hexaflumuron

Se realizó 1.0 tratamiento(s) de Azametifos

Se realizó 1.14 tratamiento(s) de Peróxido de Hidrógeno

Se realizó 0.43 tratamiento(s) de Agua Dulce

Se realizó 0.29 tratamiento(s) de Aquaprime

Se realizaron tratamiento(s) antibiotico:

Se realizó 2.67 tratamiento(s) de Florfenicol

Assessment reports in case of statistically significant mortalities (monthly) in the farm, in which an unknown transmissible agent causing fish diseases was suspected or confirmed, notify them to the OIE:

In the current production cycle of the farm, we have not had statistically significant increases in mortality (monthly) related to suspicions of transmissible agents of unknown origin, which are included in the list of diseases notifiable to the OIE.

Loncochalgua 2026-04

Fatal incidents on wildlife as a result of the operation:

We have had no fatal wildlife incidents during the current production cycle.

Periodic monitoring for Caligus (Caligus rogercresseyi) carried out by the farm:

Week	Ovigerous Females	Adults
2024-46	0,10	0,40
2024-47	0,00	0,12
2024-48	0,00	0,00
2024-49	0,12	0,02
2024-50	0,00	0,03
2024-51	0,10	0,10
2024-52	0,03	0,18
2025-01	0,15	0,17
2025-02	0,03	0,00
2025-03	0,18	0,08
2025-04	0,03	0,00
2025-05	0,03	0,02
2025-06	0,03	0,07
2025-07	0,22	0,13
2025-08	0,38	0,77
2025-09	0,63	0,67
2025-10	0,77	0,63
2025-11	0,68	0,62
2025-12	0,90	1,37
2025-13	1,13	1,32
2025-14	1,05	1,25
2025-15	1,93	3,45
2025-17	2,80	3,52
2025-18	5,53	6,40
2025-19	1,65	2,22
2025-20	2,48	2,83
2025-21	2,30	2,92

Week	Ovigerous Females	Adults
2025-22	4,58	4,23
2025-23	2,88	3,83
2025-24	4,50	3,80
2025-25	6,62	6,97
2025-26	8,63	8,52
2025-27	10,30	9,65
2025-28	10,87	10,58
2025-29	18,03	11,52
2025-30	16,10	12,22
2025-31	0,20	0,63
2025-32	0,48	0,75
2025-33	1,13	5,67
2025-34	1,98	4,65
2025-35	2,33	4,55
2025-36	3,88	10,90
2025-37	2,65	8,32
2025-38	15,78	17,10
2025-39	16,27	17,18
2025-40	20,45	35,78
2025-41	23,42	22,55
2025-42	12,00	11,75
2025-43	8,42	9,90
2025-44	4,70	9,02
2025-45	2,88	5,18
2025-46	9,65	13,15
2025-47	21,75	21,57
2025-48	28,25	25,55
2025-49	44,80	47,10

Calculation of unexplained losses estimated for the farm during the finished production cycle

Explicables: -7508

Perdidas Inexplicables= N° Inicial- N° de Cosecha- mortalidad

List of transgenic vegetable raw materials used in more than 1% in fish feed used in Loncochalgua:

Raw material	Inclusion	Source	GMO
Soy flour	0 - 5 %	Argentina	YES
Soy Protein Concentrate	0 - 20%	Brasil	YES
Canola oil	10 - 25%	Chile - Canadá	YES
Oleinmix	0 - 8 %	Argentina	YES
Acidified Oil	0 - 10%	Chile	YES
Corn Gluten	0 - 15%	USA	YES

Pharmaceutical Products used in the current production cycle:

Se realizaron tratamiento(s) parasitario:

Se realizó 0.53 tratamiento(s) de Hexaflumuron

Se realizó 1.14 tratamiento(s) de Azametifos

Se realizó 1.49 tratamiento(s) de Peróxido de Hidrógeno

Se realizó 0.61 tratamiento(s) de Aquaprime

Se realizaron tratamiento(s) antibiotico:

Se realizó 3.06 tratamiento(s) de Florfenicol

Assessment reports in case of statistically significant mortalities (monthly) in the farm, in which an unknown transmissible agent causing fish diseases was suspected or confirmed, notify them to the OIE:

In the current production cycle of the farm, we have not had statistically significant increases in mortality (monthly) related to suspicions of transmissible agents of unknown origin, which are included in the list of diseases notifiable to the OIE.

SUR GARRAO 2026-04

Fatal incidents on wildlife as a result of the operation:

We have had no fatal wildlife incidents during the current production cycle.

Periodic monitoring for Caligus (Caligus rogercresseyi) carried out by the farm:

Week	Ovigerous Females	Adults
2024-15	0,00	0,00
2024-16	0,00	0,00
2024-17	0,00	0,00
2024-18	1,05	0,82
2024-19	1,07	0,68
2024-20	1,18	0,50
2024-21	1,88	0,83
2024-22	2,15	0,47
2024-23	1,52	0,62
2024-24	1,18	0,48
2024-25	1,10	0,32
2024-26	1,23	0,48
2024-27	0,70	0,60
2024-28	0,45	0,50
2024-29	0,45	0,48
2024-30	0,60	0,20
2024-31	0,63	0,53
2024-32	0,67	0,57
2024-33	0,65	1,40
2024-34	1,37	2,47
2024-35	1,25	1,25
2024-36	1,53	1,52
2024-37	1,82	1,00
2024-38	1,72	0,90
2024-39	1,30	0,87
2024-40	0,52	0,92
2024-41	1,10	0,95

Week	Ovigerous Females	Adults
2024-42	1,15	0,88
2024-43	1,53	1,23
2024-44	0,92	1,00
2024-45	1,97	2,40
2024-46	2,73	6,88
2024-47	2,47	2,23
2024-48	1,53	1,75
2024-49	2,38	3,47
2024-50	5,10	9,33
2024-51	5,15	4,27
2024-52	2,50	2,18
2025-01	2,40	5,53
2025-02	1,05	1,47
2025-03	2,77	4,15
2025-04	6,45	4,17
2025-05	4,10	2,72
2025-06	2,33	2,38
2025-07	2,77	5,07
2025-08	3,70	4,57
2025-09	4,40	2,22
2025-10	4,52	3,42
2025-11	3,42	2,97
2025-12	2,93	2,07
2025-13	1,50	2,32
2025-14	1,60	1,90
2025-15	2,00	2,70
2025-17	2,00	2,15
2025-18	1,80	1,90

Calculation of unexplained losses estimated for the farm during the finished production cycle

Explicables: -35286

Perdidas Inexplicables= N° Inicial- N° de Cosecha- mortalidad

List of transgenic vegetable raw materials used in more than 1% in fish feed used in SUR GARRAO:

Raw material	Inclusion	Source	GMO
Soy flour	0 - 5 %	Argentina	YES
Soy Protein Concentrate	0 - 20%	Brasil	YES
Canola oil	10 - 25%	Chile - Canadá	YES
Oleinmix	0 - 8 %	Argentina	YES
Acidified Oil	0 - 10%	Chile	YES
Corn Gluten	0 - 15%	USA	YES

Pharmaceutical Products used in the current production cycle:

Se realizaron tratamiento(s) parasitario:

Se realizó 3.0 tratamiento(s) de B. Emamectina

Se realizó 2.0 tratamiento(s) de Peróxido de Hidrógeno

Se realizaron tratamiento(s) antibiotico:

Se realizó 1.0 tratamiento(s) de Florfenicol

Assessment reports in case of statistically significant mortalities (monthly) in the farm, in which an unknown transmissible agent causing fish diseases was suspected or confirmed, notify them to the OIE:

In the current production cycle of the farm, we have not had statistically significant increases in mortality (monthly) related to suspicions of transmissible agents of unknown origin, which are included in the list of diseases notifiable to the OIE.

Manihueico 2026-04

Fatal incidents on wildlife as a result of the operation:

We have had no fatal wildlife incidents during the current production cycle.

Periodic monitoring for Caligus (Caligus rogercresseyi) carried out by the farm:

Week	Ovigerous Females	Adults
2025-20	0,00	0,00
2025-21	0,12	0,05
2025-22	0,00	0,02
2025-23	0,00	0,02
2025-24	0,00	0,00
2025-25	0,00	0,00
2025-26	0,02	0,02
2025-27	0,02	0,02
2025-28	0,03	0,02
2025-29	0,00	0,08
2025-30	0,00	0,03
2025-31	0,00	0,02
2025-32	0,02	0,07
2025-33	0,05	0,03
2025-34	0,02	0,07
2025-35	0,03	0,10

Week	Ovigerous Females	Adults
2025-36	0,12	0,05
2025-37	0,08	0,03
2025-38	0,13	0,15
2025-39	0,05	0,08
2025-40	0,03	0,05
2025-41	0,38	0,67
2025-42	0,63	0,78
2025-43	0,35	0,40
2025-44	0,93	0,68
2025-45	1,02	0,80
2025-46	1,03	0,78
2025-47	2,52	2,58
2025-48	2,60	3,10
2025-49	2,80	3,27
2025-50	3,02	3,85
2025-51	5,80	11,10

Calculation of unexplained losses estimated for the farm during the finished production cycle

The current production cycle has not yet closed.

List of transgenic vegetable raw materials used in more than 1% in fish feed used in Manihueico:

Raw material	Inclusion	Source	GMO
Soy flour	0 - 5 %	Argentina	YES
Soy Protein Concentrate	0 - 20%	Brasil	YES
Canola oil	10 - 25%	Chile - Canadá	YES
Oleinmix	0 - 8 %	Argentina	YES
Acidified Oil	0 - 10%	Chile	YES
Corn Gluten	0 - 15%	USA	YES

Pharmaceutical Products used in the current production cycle:

Se realizaron tratamiento(s) parasitario:

Se realizó 0.67 tratamiento(s) de Peróxido de Hidrógeno

Se realizó 0.22 tratamiento(s) de Aquaprime

Se realizaron tratamiento(s) antibiotico:

Se realizó 0.11 tratamiento(s) de Florfenicol

Assessment reports in case of statistically significant mortalities (monthly) in the farm, in which an unknown transmissible agent causing fish diseases was suspected or confirmed, notify them to the OIE:

In the current production cycle of the farm, we have not had statistically significant increases in mortality (monthly) related to suspicions of transmissible agents of unknown origin, which are included in the list of diseases notifiable to the OIE.

Contao 2026-04

Fatal incidents on wildlife as a result of the operation:

We have had no fatal wildlife incidents during the current production cycle.

Periodic monitoring for Caligus (Caligus rogercresseyi) carried out by the farm:

Week	Ovigerous Females	Adults
2025-18	0,00	0,00
2025-19	0,00	0,00
2025-20	0,00	0,00
2025-21	0,00	0,00
2025-22	0,00	0,00
2025-23	0,00	0,03
2025-24	0,00	0,05
2025-25	0,02	0,05
2025-26	0,03	0,05
2025-27	0,07	0,07
2025-28	0,08	0,07
2025-29	0,03	0,03
2025-30	0,12	0,12
2025-31	0,12	0,10
2025-32	0,07	0,05
2025-33	0,12	0,08
2025-34	0,10	0,13

Week	Ovigerous Females	Adults
2025-35	0,13	0,27
2025-36	0,12	0,20
2025-37	0,18	0,23
2025-38	0,35	0,58
2025-39	0,38	0,47
2025-40	0,60	0,75
2025-41	0,42	0,83
2025-42	0,52	0,88
2025-43	1,53	1,62
2025-44	1,20	1,32
2025-45	1,22	1,07
2025-46	0,82	1,22
2025-47	1,57	1,68
2025-48	2,37	2,37
2025-49	2,43	4,13
2025-50	2,85	3,28
2025-51	4,57	8,75

Calculation of unexplained losses estimated for the farm during the finished production cycle

The current production cycle has not yet closed.

List of transgenic vegetable raw materials used in more than 1% in fish feed used in Contao:

Raw material	Inclusion	Source	GMO
Soy flour	0 - 5 %	Argentina	YES
Soy Protein Concentrate	0 - 20%	Brasil	YES
Canola oil	10 - 25%	Chile - Canadá	YES
Oleinmix	0 - 8 %	Argentina	YES
Acidified Oil	0 - 10%	Chile	YES
Corn Gluten	0 - 15%	USA	YES

Pharmaceutical Products used in the current production cycle:

Se realizaron tratamiento(s) parasitario:

Se realizó 0.78 tratamiento(s) de Peróxido de Hidrógeno

Se realizaron tratamiento(s) antibiotico:

Se realizó 2.0 tratamiento(s) de Florfenicol

Assessment reports in case of statistically significant mortalities (monthly) in the farm, in which an unknown transmissible agent causing fish diseases was suspected or confirmed, notify them to the OIE:

In the current production cycle of the farm, we have not had statistically significant increases in mortality (monthly) related to suspicions of transmissible agents of unknown origin, which are included in the list of diseases notifiable to the OIE.

Cahuelmo 2026-04

Fatal incidents on wildlife as a result of the operation:

We have had no fatal wildlife incidents during the current production cycle.

Periodic monitoring for Caligus (Caligus rogercresseyi) carried out by the farm:

Week	Ovigerous Females	Adults
2024-52	0,22	0,17
2025-01	0,17	0,45
2025-02	0,45	0,20
2025-03	0,38	0,28
2025-04	0,62	0,43
2025-05	0,45	0,52
2025-06	0,22	0,05
2025-07	0,70	0,47
2025-08	0,98	0,63
2025-09	1,95	1,68
2025-10	0,73	1,38
2025-11	2,08	2,38
2025-12	1,65	2,62
2025-13	2,22	3,10
2025-14	3,23	4,10
2025-15	2,40	2,90
2025-17	2,35	6,10
2025-18	4,05	6,67
2025-19	2,83	3,75
2025-20	4,88	5,17
2025-21	2,83	3,28
2025-22	1,58	2,32
2025-23	2,27	2,97
2025-24	3,53	7,90
2025-25	6,00	11,07

Week	Ovigerous Females	Adults
2025-26	5,10	7,42
2025-27	2,28	4,75
2025-28	11,12	14,55
2025-29	7,23	9,33
2025-30	6,65	11,42
2025-31	0,37	2,10
2025-32	4,62	6,73
2025-33	1,82	8,33
2025-34	2,70	8,88
2025-35	2,88	14,87
2025-36	9,60	15,28
2025-37	18,65	21,87
2025-38	11,48	13,73
2025-39	1,83	5,27
2025-40	7,97	10,67
2025-41	8,40	14,23
2025-42	6,47	27,73
2025-43	0,63	3,58
2025-44	8,27	10,23
2025-45	5,55	12,78
2025-46	4,33	10,17
2025-47	12,27	23,78
2025-48	31,55	39,88
2025-49	10,85	18,03
2025-50	27,75	24,92
2025-51	35,85	31,30

Calculation of unexplained losses estimated for the farm during the finished production cycle

Explicables: -6186

Perdidas Inexplicables= N° Inicial- N° de Cosecha- mortalidad

List of transgenic vegetable raw materials used in more than 1% in fish feed used in Cahuelmo:

Raw material	Inclusion	Source	GMO
Soy flour	0 - 5 %	Argentina	YES
Soy Protein Concentrate	0 - 20%	Brasil	YES
Canola oil	10 - 25%	Chile - Canadá	YES
Oleinmix	0 - 8 %	Argentina	YES
Acidified Oil	0 - 10%	Chile	YES
Corn Gluten	0 - 15%	USA	YES

Pharmaceutical Products used in the current production cycle:

Se realizaron tratamiento(s) parasitario:

Se realizó 2.06 tratamiento(s) de B. Enamectina

Se realizó 1.03 tratamiento(s) de Hexaflumuron

Se realizó 0.88 tratamiento(s) de Extracto Rosseus

Se realizó 1 tratamiento(s) de Aquaprime

Se realizó 1.77 tratamiento(s) de Azametifos

Se realizó 2.72 tratamiento(s) de Peróxido de Hidrógeno

Se realizaron tratamiento(s) antibiotico:

Se realizó 1.03 tratamiento(s) de Florfenicol

Assessment reports in case of statistically significant mortalities (monthly) in the farm, in which an unknown transmissible agent causing fish diseases was suspected or confirmed, notify them to the OIE:

In the current production cycle of the farm, we have not had statistically significant increases in mortality (monthly) related to suspicions of transmissible agents of unknown origin, which are included in the list of diseases notifiable to the OIE.

Pilpilehue 2026-04

Fatal incidents on wildlife as a result of the operation:

We have had no fatal wildlife incidents during the current production cycle.

Periodic monitoring for Caligus (Caligus rogercresseyi) carried out by the farm:

Week	Ovigerous Females	Adults
2024-31	0,00	0,00
2024-32	0,00	0,03
2024-33	0,00	0,03
2024-34	0,40	0,67
2024-35	0,18	0,55
2024-36	0,50	0,93
2024-37	0,00	0,23
2024-38	0,35	0,60
2024-39	0,82	0,68
2024-40	0,42	0,43
2024-41	1,30	0,98
2024-42	0,42	0,28
2024-43	0,73	1,25
2024-44	0,80	1,05
2024-45	1,32	1,62
2024-46	1,03	0,92
2024-47	0,45	0,55
2024-48	1,32	1,68
2024-49	1,23	1,32
2024-50	2,52	3,33
2024-51	1,10	1,32
2024-52	1,63	1,75
2025-01	1,62	2,12
2025-02	1,07	1,25
2025-03	2,83	5,05
2025-04	4,53	4,68
2025-05	2,80	3,20
2025-06	1,87	1,28
2025-07	1,05	1,18

Week	Ovigerous Females	Adults
2025-08	1,18	2,47
2025-09	1,25	1,63
2025-10	2,52	2,03
2025-11	2,50	3,28
2025-12	2,40	3,15
2025-13	2,78	3,18
2025-14	3,08	4,37
2025-15	3,08	3,53
2025-17	1,73	1,95
2025-18	4,63	8,57
2025-19	2,90	3,22
2025-20	5,55	6,53
2025-21	2,83	4,68
2025-22	6,27	4,73
2025-23	2,65	2,93
2025-24	8,62	8,93
2025-25	0,47	0,97
2025-26	3,78	4,55
2025-27	9,53	9,97
2025-28	19,17	17,58
2025-29	8,90	8,03
2025-30	12,23	11,93
2025-31	4,27	8,55
2025-32	5,25	13,23
2025-33	13,90	23,38
2025-34	14,98	12,55
2025-35	18,22	26,60
2025-36	1,33	4,53
2025-37	1,10	3,20

Calculation of unexplained losses estimated for the farm during the finished production cycle

Explicables: 14287

Perdidas Inexplicables= N° Inicial- N° de Cosecha- mortalidad

List of transgenic vegetable raw materials used in more than 1% in fish feed used in Pilpilehue:

Raw material	Inclusion	Source	GMO
Soy flour	0 - 5 %	Argentina	YES
Soy Protein Concentrate	0 - 20%	Brasil	YES
Canola oil	10 - 25%	Chile - Canadá	YES
Oleinmix	0 - 8 %	Argentina	YES
Acidified Oil	0 - 10%	Chile	YES
Corn Gluten	0 - 15%	USA	YES

Pharmaceutical Products used in the current production cycle:

Se realizaron tratamiento(s) parasitario:

Se realizó 3.75 tratamiento(s) de B. Enamectina

Se realizó 0.31 tratamiento(s) de Azametifos

Se realizó 0.31 tratamiento(s) de Agua Dulce

Se realizó 1.07 tratamiento(s) de Peróxido de Hidrógeno

Se realizó 0.08 tratamiento(s) de Extracto Rosseus

Se realizaron tratamiento(s) antibiotico:

Se realizó 2.53 tratamiento(s) de Florfenicol

Assessment reports in case of statistically significant mortalities (monthly) in the farm, in which an unknown transmissible agent causing fish diseases was suspected or confirmed, notify them to the OIE:

In the current production cycle of the farm, we have not had statistically significant increases in mortality (monthly) related to suspicions of transmissible agents of unknown origin, which are included in the list of diseases notifiable to the OIE.

Johnson 2 2026-04

Fatal incidents on wildlife as a result of the operation:

We have had no fatal wildlife incidents during the current production cycle.

Periodic monitoring for Caligus (Caligus rogercresseyi) carried out by the farm:

Week	Ovigerous Females	Adults
2025-15	0,52	1,22
2025-17	1,23	0,98
2025-18	0,22	0,98
2025-19	1,80	0,97
2025-20	1,25	1,43
2025-21	2,50	2,18
2025-22	3,23	3,13
2025-23	0,50	0,50
2025-24	3,75	3,25
2025-25	1,72	0,77
2025-26	5,02	3,63
2025-27	2,70	3,20
2025-28	4,93	4,47
2025-29	7,30	5,93
2025-30	8,82	7,87
2025-31	5,83	5,90
2025-32	9,02	7,93
2025-33	2,13	1,45

Week	Ovigerous Females	Adults
2025-34	2,67	2,45
2025-35	2,60	3,90
2025-36	7,28	5,33
2025-37	10,92	9,32
2025-38	9,32	7,88
2025-39	1,52	1,80
2025-40	3,82	3,90
2025-41	2,60	3,47
2025-42	3,67	3,30
2025-43	5,77	7,82
2025-44	1,95	2,75
2025-45	2,70	5,28
2025-46	6,78	6,40
2025-47	1,15	2,42
2025-48	3,32	5,63
2025-49	2,47	6,37
2025-50	13,23	17,20
2025-51	16,82	21,30

Calculation of unexplained losses estimated for the farm during the finished production cycle

The current production cycle has not yet closed.

List of transgenic vegetable raw materials used in more than 1% in fish feed used in Johnson 2:

Raw material	Inclusion	Source	GMO
Soy flour	0 - 5 %	Argentina	YES
Soy Protein Concentrate	0 - 20%	Brasil	YES
Canola oil	10 - 25%	Chile - Canadá	YES
Oleinmix	0 - 8 %	Argentina	YES
Acidified Oil	0 - 10%	Chile	YES
Corn Gluten	0 - 15%	USA	YES

Pharmaceutical Products used in the current production cycle:

Se realizaron tratamiento(s) parasitario:

Se realizó 3.0 tratamiento(s) de B. Emamectina

Se realizó 2.42 tratamiento(s) de Azametifos

Se realizó 2.0 tratamiento(s) de Oxitetraciclina

Se realizó 1.08 tratamiento(s) de Aquaprime

Se realizó 1.67 tratamiento(s) de Peróxido de Hidrógeno

Se realizaron tratamiento(s) antibiotico:

Se realizó 3.0 tratamiento(s) de Florfenicol

Assessment reports in case of statistically significant mortalities (monthly) in the farm, in which an unknown transmissible agent causing fish diseases was suspected or confirmed, notify them to the OIE:

In the current production cycle of the farm, we have not had statistically significant increases in mortality (monthly) related to suspicions of transmissible agents of unknown origin, which are included in the list of diseases notifiable to the OIE.

Punta Islotes 2026-04

Fatal incidents on wildlife as a result of the operation:

We have had no fatal wildlife incidents during the current production cycle.

Periodic monitoring for Caligus (Caligus rogercresseyi) carried out by the farm:

Week	Ovigerous Females	Adults
2025-41	0,00	0,00
2025-42	0,00	0,37
2025-43	0,00	0,07
2025-44	1,10	0,63
2025-45	0,78	0,48
2025-46	1,50	0,85
2025-47	1,82	0,82
2025-48	1,35	0,35
2025-49	1,18	0,70
2025-50	2,53	1,50
2025-51	1,88	0,73

Calculation of unexplained losses estimated for the farm during the finished production cycle

The current production cycle has not yet closed.

List of transgenic vegetable raw materials used in more than 1% in fish feed used in Punta Islotes:

Raw material	Inclusion	Source	GMO
Soy flour	0 - 5 %	Argentina	YES
Soy Protein Concentrate	0 - 20%	Brasil	YES
Canola oil	10 - 25%	Chile - Canadá	YES
Oleinmix	0 - 8 %	Argentina	YES
Acidified Oil	0 - 10%	Chile	YES
Corn Gluten	0 - 15%	USA	YES

Pharmaceutical Products used in the current production cycle:

Se realizaron tratamiento(s) parasitario:

Se realizó 2.0 tratamiento(s) de B. Enamectina

Se realizaron tratamiento(s) antibiotico:

Se realizó 1.0 tratamiento(s) de Florfenicol

Assessment reports in case of statistically significant mortalities (monthly) in the farm, in which an unknown transmissible agent causing fish diseases was suspected or confirmed, notify them to the OIE:

In the current production cycle of the farm, we have not had statistically significant increases in mortality (monthly) related to suspicions of transmissible agents of unknown origin, which are included in the list of diseases notifiable to the OIE.

Izaza 2026-04

Fatal incidents on wildlife as a result of the operation:

We have had no fatal wildlife incidents during the current production cycle.

Periodic monitoring for Caligus (Caligus rogercresseyi) carried out by the farm:

Week	Ovigerous Females	Adults
2025-48	0,00	0,17
2025-49	0,00	0,07
2025-50	0,30	0,35
2025-51	0,07	0,65

Calculation of unexplained losses estimated for the farm during the finished production cycle

The current production cycle has not yet closed.

List of transgenic vegetable raw materials used in more than 1% in fish feed used in Izaza:

Raw material	Inclusion	Source	GMO
Soy flour	0 - 5 %	Argentina	YES
Soy Protein Concentrate	0 - 20%	Brasil	YES
Canola oil	10 - 25%	Chile - Canadá	YES
Oleinmix	0 - 8 %	Argentina	YES
Acidified Oil	0 - 10%	Chile	YES
Corn Gluten	0 - 15%	USA	YES

Pharmaceutical Products used in the current production cycle:

Se realizaron tratamiento(s) parasitario:

Se realizó 1.0 tratamiento(s) de B. Enamectina

Assessment reports in case of statistically significant mortalities (monthly) in the farm, in which an unknown transmissible agent causing fish diseases was suspected or confirmed, notify them to the OIE:

In the current production cycle of the farm, we have not had statistically significant increases in mortality (monthly) related to suspicions of transmissible agents of unknown origin, which are included in the list of diseases notifiable to the OIE.

Chonos 2026-04

Fatal incidents on wildlife as a result of the operation:

We have had no fatal wildlife incidents during the current production cycle.

Periodic monitoring for Caligus (Caligus rogercresseyi) carried out by the farm:

Week	Ovigerous Females	Adults
2025-25	0,00	0,00
2025-26	0,00	0,00
2025-27	0,00	0,20
2025-28	0,20	0,17
2025-29	0,18	0,15
2025-30	0,37	0,33
2025-31	1,00	0,87
2025-32	1,27	0,80
2025-33	0,78	0,55
2025-34	0,60	0,75
2025-35	0,63	0,67
2025-36	0,87	0,95
2025-37	0,50	0,53

Week	Ovigerous Females	Adults
2025-38	0,90	0,60
2025-39	1,30	1,30
2025-40	1,35	0,75
2025-41	1,32	0,93
2025-42	1,10	0,93
2025-43	2,25	1,35
2025-44	1,52	1,32
2025-45	1,97	2,27
2025-46	1,77	1,57
2025-47	2,13	1,58
2025-48	2,70	1,85
2025-49	2,85	3,38
2025-50	1,45	0,73
2025-51	1,77	1,03

Calculation of unexplained losses estimated for the farm during the finished production cycle

The current production cycle has not yet closed.

List of transgenic vegetable raw materials used in more than 1% in fish feed used in Chonos:

Raw material	Inclusion	Source	GMO
Soy flour	0 - 5 %	Argentina	YES
Soy Protein Concentrate	0 - 20%	Brasil	YES
Canola oil	10 - 25%	Chile - Canadá	YES
Oleinmix	0 - 8 %	Argentina	YES
Acidified Oil	0 - 10%	Chile	YES
Corn Gluten	0 - 15%	USA	YES

Pharmaceutical Products used in the current production cycle:

Se realizaron tratamiento(s) parasitario:

Se realizó 3.0 tratamiento(s) de B. Enamectina

Se realizó 0.29 tratamiento(s) de Aquaprime

Se realizó 1.0 tratamiento(s) de Peróxido de Hidrógeno

Se realizaron tratamiento(s) antibiotico:

Se realizó 1.0 tratamiento(s) de Florfenicol

Assessment reports in case of statistically significant mortalities (monthly) in the farm, in which an unknown transmissible agent causing fish diseases was suspected or confirmed, notify them to the OIE:

In the current production cycle of the farm, we have not had statistically significant increases in mortality (monthly) related to suspicions of transmissible agents of unknown origin, which are included in the list of diseases notifiable to the OIE.

ESTE FILOMENA 2026-04

Fatal incidents on wildlife as a result of the operation:

We have had no fatal wildlife incidents during the current production cycle.

Periodic monitoring for Caligus (Caligus rogercresseyi) carried out by the farm:

Week	Ovigerous Females	Adults
2025-05	0,10	0,27
2025-06	0,02	0,30
2025-07	0,05	0,23
2025-08	0,23	0,35
2025-09	0,23	0,55
2025-10	0,15	0,05
2025-11	0,23	0,42
2025-12	0,17	0,17
2025-13	0,18	0,43
2025-14	0,33	0,35
2025-15	0,10	0,12
2025-17	0,78	0,80
2025-18	0,87	0,73
2025-19	2,50	2,25
2025-20	1,20	0,62
2025-21	1,10	1,30
2025-22	0,40	0,93
2025-23	1,37	0,47
2025-24	1,12	1,08
2025-25	0,77	0,38
2025-26	0,95	0,53
2025-27	1,38	0,92
2025-28	1,53	0,45

Week	Ovigerous Females	Adults
2025-29	0,73	0,40
2025-30	1,53	1,75
2025-31	0,40	1,37
2025-32	1,42	1,12
2025-33	1,67	1,27
2025-34	2,27	1,15
2025-35	1,05	1,18
2025-36	0,86	0,38
2025-37	0,86	1,01
2025-38	1,80	1,13
2025-39	1,23	1,35
2025-40	0,78	0,58
2025-41	1,13	0,73
2025-42	1,53	1,00
2025-43	1,20	0,88
2025-44	0,90	0,98
2025-45	1,90	1,82
2025-46	1,47	1,58
2025-47	1,72	1,40
2025-48	1,32	2,15
2025-49	2,70	1,70
2025-50	2,28	1,70
2025-51	2,02	2,18

Calculation of unexplained losses estimated for the farm during the finished production cycle

The current production cycle has not yet closed.

List of transgenic vegetable raw materials used in more than 1% in fish feed used in ESTE FILOMENA:

Raw material	Inclusion	Source	GMO
Soy flour	0 - 5 %	Argentina	YES
Soy Protein Concentrate	0 - 20%	Brasil	YES
Canola oil	10 - 25%	Chile - Canadá	YES
Oleinmix	0 - 8 %	Argentina	YES
Acidified Oil	0 - 10%	Chile	YES
Corn Gluten	0 - 15%	USA	YES

Pharmaceutical Products used in the current production cycle:

Se realizaron tratamiento(s) parasitario:

Se realizó 1.02 tratamiento(s) de B. Emamectina

Se realizó 0.28 tratamiento(s) de Azametifos

Se realizaron tratamiento(s) antibiotico:

Se realizó 2.24 tratamiento(s) de Florfenicol

Assessment reports in case of statistically significant mortalities (monthly) in the farm, in which an unknown transmissible agent causing fish diseases was suspected or confirmed, notify them to the OIE:

In the current production cycle of the farm, we have not had statistically significant increases in mortality (monthly) related to suspicions of transmissible agents of unknown origin, which are included in the list of diseases notifiable to the OIE.

JOHNSON 1 2026-04

Fatal incidents on wildlife as a result of the operation:

We have had no fatal wildlife incidents during the current production cycle.

Periodic monitoring for Caligus (Caligus rogercresseyi) carried out by the farm:

Week	Ovigerous Females	Adults
2025-11	0,00	0,08
2025-12	0,02	0,12
2025-13	0,20	0,98
2025-14	0,07	0,75
2025-15	0,50	0,50
2025-17	2,25	1,27
2025-18	2,78	1,65
2025-19	2,47	2,07
2025-20	3,60	1,65
2025-21	3,93	1,68
2025-22	2,43	2,27
2025-23	0,98	1,20
2025-24	1,42	1,07
2025-25	2,78	4,90
2025-26	5,30	6,20
2025-27	1,43	2,33
2025-28	3,93	3,53
2025-29	2,10	2,72
2025-30	6,32	5,02
2025-31	4,05	4,35

Week	Ovigerous Females	Adults
2025-32	6,58	4,03
2025-33	0,93	0,47
2025-34	1,63	1,25
2025-35	1,37	1,02
2025-36	0,60	0,38
2025-37	1,78	0,78
2025-38	1,87	2,62
2025-39	2,48	2,52
2025-40	3,90	5,28
2025-41	7,85	9,98
2025-42	12,35	14,23
2025-43	11,05	16,53
2025-44	18,98	16,97
2025-45	2,62	4,83
2025-46	12,33	19,48
2025-47	13,25	22,35
2025-48	7,48	14,02
2025-49	39,78	37,25
2025-50	17,72	26,47
2025-51	2,22	6,95

Calculation of unexplained losses estimated for the farm during the finished production cycle

The current production cycle has not yet closed.

List of transgenic vegetable raw materials used in more than 1% in fish feed used in JOHNSON 1:

Raw material	Inclusion	Source	GMO
Soy flour	0 - 5 %	Argentina	YES
Soy Protein Concentrate	0 - 20%	Brasil	YES
Canola oil	10 - 25%	Chile - Canadá	YES
Oleinmix	0 - 8 %	Argentina	YES
Acidified Oil	0 - 10%	Chile	YES
Corn Gluten	0 - 15%	USA	YES

Pharmaceutical Products used in the current production cycle:

Se realizaron tratamiento(s) parasitario:

Se realizó 3.0 tratamiento(s) de B. Emamectina
Se realizó 3.0 tratamiento(s) de Azametifos
Se realizó 1.71 tratamiento(s) de Peróxido de Hidrógeno
Se realizó 0.57 tratamiento(s) de Aquaprime
Se realizó 0.14 tratamiento(s) de Extracto Rosseus

Se realizaron tratamiento(s) antibiotico:

Se realizó 2.0 tratamiento(s) de Florfenicol

Assessment reports in case of statistically significant mortalities (monthly) in the farm, in which an unknown transmissible agent causing fish diseases was suspected or confirmed, notify them to the OIE:

In the current production cycle of the farm, we have not had statistically significant increases in mortality (monthly) related to suspicions of transmissible agents of unknown origin, which are included in the list of diseases notifiable to the OIE.

WILLIAMS 1 2026-04

Fatal incidents on wildlife as a result of the operation:

We have had no fatal wildlife incidents during the current production cycle.

Periodic monitoring for Caligus (Caligus rogercresseyi) carried out by the farm:

Week	Ovigerous Females	Adults
2024-23	0,00	0,00
2024-24	0,05	0,22
2024-25	0,27	0,75
2024-26	1,48	1,38
2024-27	2,70	2,57
2024-28	0,87	0,70
2024-29	0,58	0,52
2024-30	0,68	0,80
2024-31	0,32	0,22
2024-32	0,25	0,28
2024-33	0,30	0,35
2024-34	0,95	0,87
2024-35	1,05	1,15
2024-36	1,25	1,37
2024-37	0,22	0,18
2024-38	0,63	0,57
2024-39	0,55	0,83
2024-40	0,97	1,22
2024-41	1,38	1,32
2024-42	2,30	3,15
2024-43	2,60	4,47
2024-44	2,72	4,18
2024-45	3,63	3,38
2024-46	4,30	2,77
2024-47	1,05	0,72
2024-48	0,58	0,68
2024-49	0,80	0,78
2024-50	2,78	3,57
2024-51	5,42	6,10
2024-52	5,18	5,97
2025-01	3,52	4,93

Week	Ovigerous Females	Adults
2025-02	0,48	0,48
2025-03	2,50	1,85
2025-04	3,37	2,27
2025-05	2,20	1,73
2025-06	1,33	2,33
2025-07	2,87	4,40
2025-08	2,72	3,55
2025-09	2,82	2,17
2025-10	5,52	4,82
2025-11	6,18	6,07
2025-12	8,08	6,45
2025-13	8,20	5,95
2025-14	9,53	6,93
2025-15	11,95	10,03
2025-17	18,58	10,92
2025-18	21,42	16,68
2025-19	16,70	14,02
2025-20	6,03	5,93
2025-21	2,80	3,77
2025-22	2,77	2,98
2025-23	2,76	6,66
2025-24	7,60	10,95
2025-25	12,00	16,20
2025-26	19,47	24,70
2025-27	29,83	28,97
2025-28	30,67	28,63
2025-29	36,00	30,07
2025-30	1,57	1,70
2025-31	2,47	3,33
2025-32	7,45	7,45
2025-33	2,90	3,50
2025-34	2,90	5,60

Calculation of unexplained losses estimated for the farm during the finished production cycle

Explicables: 25774

Perdidas Inexplicables= N° Inicial- N° de Cosecha- mortalidad

List of transgenic vegetable raw materials used in more than 1% in fish feed used in WILLIAMS 1:

Raw material	Inclusion	Source	GMO
Soy flour	0 - 5 %	Argentina	YES
Soy Protein Concentrate	0 - 20%	Brasil	YES
Canola oil	10 - 25%	Chile - Canadá	YES
Oleinmix	0 - 8 %	Argentina	YES
Acidified Oil	0 - 10%	Chile	YES
Corn Gluten	0 - 15%	USA	YES

Pharmaceutical Products used in the current production cycle:

Se realizaron tratamiento(s) parasitario:

Se realizó 3.08 tratamiento(s) de B. Emamectina

Se realizó 2.05 tratamiento(s) de Azametifos

Se realizó 0.15 tratamiento(s) de Agua Dulce

Se realizó 1.32 tratamiento(s) de Peróxido de Hidrógeno

Se realizaron tratamiento(s) antibiotico:

Se realizó 3 tratamiento(s) de Florfenicol

Assessment reports in case of statistically significant mortalities (monthly) in the farm, in which an unknown transmissible agent causing fish diseases was suspected or confirmed, notify them to the OIE:

In the current production cycle of the farm, we have not had statistically significant increases in mortality (monthly) related to suspicions of transmissible agents of unknown origin, which are included in the list of diseases notifiable to the OIE.